



**PhilGEPS**  
Philippine Government Electronic Procurement System

Central Portal for  
Philippine Government  
Government Organizations

Help

## Bid Notice Abstract

### Request for Quotation (RFQ)

**Reference Number** 2684312  
**Procuring Entity** DEPARTMENT OF TRANSPORTATION AND COMMUNICATIONS - MAIN  
**Title** CANVASS NO. 06-58-2014  
**Area of Delivery**

<b>Solicitation Number:</b>	CANVASS NO. 06-58-2014	<b>Status</b>	Active
<b>Trade Agreement:</b>	Implementing Rules and Regulations	<b>Associated Components</b>	1
<b>Procurement Mode:</b>	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	<b>Bid Supplements</b>	0
<b>Classification:</b>	Goods	<b>Document Request List</b>	4
<b>Category:</b>	Office Equipment	<b>Date Published</b>	19/06/2014
<b>Approved Budget for the Contract:</b>	PHP 199,986.17	<b>Last Updated / Time</b>	19/06/2014 00:00 AM
<b>Delivery Period:</b>		<b>Closing Date / Time</b>	26/06/2014 17:00 PM
<b>Client Agency:</b>			
<b>Contact Person:</b>	Zenaida B. Biteng Head, Primary BAC Secretariat The Columbia Tower, Ortigas Avenue Mandaluyong City Metro Manila Philippines 1555 63-2-7277960 Ext.244 63-2-7277992 zeny0318@yahoo.com		
<b>Description</b>			
<p>2 units SCANNER with the following specifications  Scanner Type ADF (Automatic Document Feeder) Duplex color scanning  Scanning Modes Color/Grayscale/Monochrome (3) Detection  Image Sensor Color CIS (Contact Image Sensor)  Light Source 3 color LED (red/green/blue)X2 (front/back)  Optical Resolution 600 dpi x 600 dpi</p> <p>Scanning Speed  (A4 portrait)(1) Simplex or Duplex  Auto Mode(2) 25 pages per minute  Color &amp; Grayscale 150 dpi,</p>			

Monochrome 300 dpi  
Normal mode simplex/duplex, 25 ppm  
Color & Grayscale 200 dpi,  
Monochrome 400 dpi,  
Better mode simplex duplex, 25 ppm  
Color & Grayscale 300 dpi,  
Monochrome 600 dpi  
Best mode simplex/duplex, 25 ppm  
Color & Grayscale 600 dpi,  
Monochrome 1200 dpi,  
Excellent mode(3) simplex/duplex, 7 ppm

A4,A5,A6,B5,B6, Business card,  
Post card, Letter, Legal and Custom  
Size: Max: 8.5 x 14.17 in. (216x360)  
Normal mode without mm, Min. 2x2 in. (50.8x50.8 mm)  
Carrier sheet Automatically recognizes document size  
Normal mode with carrier sheet  
Use of a Carrier Sheet permits the  
scanning of A3, B4, 11x17 in. and  
Long Paper  
photographs as well as the document  
sizes listed above.  
Scanning (3)(4)  
34 inches in length (863 mm)

Multi-feed detection Paper Weight (Thickness)  
Supported (standard) ultrasonic multi-feed detection sensor  
11 to 56 lb (40 to 209 g/m), A8 size: 127 to 209 g/m or 24 to  
56 lbs. Cards (ISO7810 ID-1 type conforming) can be used  
(thickness 0.76mm or less) Embossed card: usable  
(landscape only)

Paper Chute Capacity(5) Interface Driven (6)  
Maximum 50 sheets (Letter size at 21 lb. or 80 g/m)  
Wi-Fi or USB 3.0 for PC or Mac (USB 2.0/USB 1.1  
Compatible)(6)(7)  
ScanSnap specific driver (Does not support TWAIN / ISIS)

Power Requirement AC Adapter AC 100V to 240V 50/60 Hz

1 Unit PRINTER Colored Laser Jet  
Paper handling input, standard  
100-sheet Multi purpose tray, 250 sheet input tray  
Paper handling input, optional  
Optional 500-sheet input tray 3  
Paper handling output, standard  
250-sheet face-down output bin  
Duplex printing  
Manual (driver support provided)  
Media sizes supported  
tray 1:  
A3,A4,A5,A6,RA3,SRA3,B4,B5,10X15cm;  
envelopes (DL,C5,B5); tray:  
A3,A4,A5,B4,B5; optional tray 3:  
A3,A4,B4,B5  
Media sizes, custom  
tray1:76x127 to 320x457 mm; 250-sheet  
input tray2: 148x182 to 297x432mm;  
optional 500-sheet input tray3: 148x210 to  
297x432mm  
Media types  
paper (bond, brochure, coloured, glossy,

letterhead, photo, plain, preprinted, prepunched, recycled, rough); cardstock, glossy film, transparencies, labels, envelopes  
Supported media weight  
tray1: 60 to 220g/m2, tray2, optional tray3: up to 120 g/m2 plain papers, up to 160 g/m/2 coated papers.  
Connectivity, standard  
hi-speed USB 2.0  
Connectivity, optional  
HP Jetdirect ew2500 802.11 b/g Wireless  
Print Server J8021A  
Network ready  
optional

**NOTE:**

Bids should not exceed the total ABC and should be treated as one (1) lot only.

Bid quotations should be inclusive of the 12% VAT:

All interested supplier/bidder may submit their sealed quotation by personal delivery to the Shopping and Small Value Procurement Committee (SSVPC) c/o Atty. Rommel Lloyd P. Martinez, Head SSVPC, 4th flr., The Columbia Tower Ortigas Ave., Mandaluyong City  
Tel. No. 7277960 to 79 local 325  
FAX No. 725-7702  
Email address: dotcbacsec@yahoo.com  
(PLEASE INCLUDE THE REFERENCE NO. FROM PHILGEPS TO YOUR QUOTATIONS)

**Created by** Flordeliza B Gedalanon

**Date Created** 05/06/2014

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.